

[\(http://www.php.net/\)](http://www.php.net/)


PHP Version 5.3.3-7+squeeze17



System	Linux fb04267 2.6.32-5-amd64 #1 SMP Mon Sep 23 22:14:43 UTC 2013 x86_64
Build Date	Aug 23 2013 15:06:42
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5/apache2
Loaded Configuration File	/etc/php5/apache2/php.ini
Scan this dir for additional .ini files	/etc/php5/apache2/conf.d
Additional .ini files parsed	/etc/php5/apache2/conf.d/curl.ini, /etc/php5/apache2/conf.d/gd.ini, /etc/php5/apache2/conf.d/gmp.ini, /etc/php5/apache2/conf.d/imagick.ini, /etc/php5/apache2/conf.d/intl.ini, /etc/php5/apache2/conf.d/ldap.ini, /etc/php5/apache2/conf.d/mcrypt.ini, /etc/php5/apache2/conf.d/mysql.ini, /etc/php5/apache2/conf.d/mysqli.ini, /etc/php5/apache2/conf.d/pam_auth.ini, /etc/php5/apache2/conf.d/pdo.ini, /etc/php5/apache2/conf.d/pdo_mysql.ini, /etc/php5/apache2/conf.d/pdo_sqlite.ini, /etc/php5/apache2/conf.d/ps.ini, /etc/php5/apache2/conf.d/recode.ini, /etc/php5/apache2/conf.d/sqlite.ini, /etc/php5/apache2/conf.d/sqlite3.ini, /etc/php5/apache2/conf.d/suhosin.ini, /etc/php5/apache2/conf.d/tidy.ini, /etc/php5/apache2/conf.d/xcache.ini, /etc/php5/apache2/conf.d/xmlrpc.ini, /etc/php5/apache2/conf.d/xsl.ini
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte	disabled

Support	
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, mcrypt.*, mdecrypt.*

(<http://www.suhosin.org>) This server is protected with the Suhosin Patch 0.9.9.1
 Copyright (c) 2006-2007 [Hardened-PHP Project \(http://www.hardened-php.net/\)](http://www.hardened-php.net/) Copyright (c) 2007-2009 [SektionEins GmbH \(http://www.sektioneins.de/\)](http://www.sektioneins.de/)



(<http://www.zend.com/>) This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2010 Zend Technologies
 with XCache v1.3.0, Copyright (c) 2005-2009, by mOo
 with Suhosin v0.9.32.1, Copyright (c) 2007-2010, by SektionEins GmbH



PHP Credits

Configuration

apache2handler

Apache Version	Apache/2.2.16 (Debian)
Apache API Version	20051115
Server Administrator	www-did@wwwdid.mathematik.tu-darmstadt.de
Hostname:Port	wwwdid.mathematik.tu-darmstadt.de:0
User/Group	www-data(33)/33
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Virtual Server	Yes
Server Root	/etc/apache2
Loaded Modules	core mod_log_config mod_logio prefork http_core mod_so mod_actions mod_alias mod_auth_basic mod_auth_radius-2 mod_authn_file mod_authz_default mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_dav mod_dav_svn mod_authz_svn mod_deflate mod_dir mod_env mod_fastcgi mod_headers mod_include mod_mime mod_negotiation mod_php5 mod_reqtimeout mod_rewrite mod_setenvif mod_ssl mod_status mod_unique_id

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
UNIQUE_ID	UmoxRoJTAgcAAHoC87IAAAAB
HTTPS	on
SSL_TLS_SNI	wwwdid.mathematik.tu-darmstadt.de
SSL_SERVER_S_DN_C	DE
SSL_SERVER_S_DN_ST	Hessen
SSL_SERVER_S_DN_L	Darmstadt
SSL_SERVER_S_DN_O	Technische Universitaet Darmstadt
SSL_SERVER_S_DN_OU	Mathematik
SSL_SERVER_S_DN_OU_1	Didaktik
SSL_SERVER_S_DN_CN	wwwdid.mathematik.tu-darmstadt.de
SSL_SERVER_I_DN_C	DE
SSL_SERVER_I_DN_ST	Hessen
SSL_SERVER_I_DN_L	Darmstadt
SSL_SERVER_I_DN_O	Technische Universitaet Darmstadt
SSL_SERVER_I_DN_CN	TUD CA G01
SSL_SERVER_I_DN_Email	tud-ca@hrz.tu-darmstadt.de
SSL_VERSION_INTERFACE	mod_ssl/2.2.16
SSL_VERSION_LIBRARY	OpenSSL/0.9.8o
SSL_PROTOCOL	TLSv1
SSL_SECURE_RENEG	true
SSL_COMPRESS_METHOD	NULL
SSL_CIPHER	DHE-RSA-AES256-SHA
SSL_CIPHER_EXPORT	false
SSL_CIPHER_USEKEYSIZE	256
SSL_CIPHER_ALGKEYSIZE	256
SSL_CLIENT_VERIFY	NONE
SSL_SERVER_M_VERSION	3
SSL_SERVER_M_SERIAL	13F6AD8FAFFAA8
SSL_SERVER_V_START	Jun 12 12:03:11 2012 GMT
SSL_SERVER_V_END	Jun 11 12:03:11 2017 GMT
SSL_SERVER_S_DN	/C=DE/ST=Hessen/L=Darmstadt/O=Technische Universitaet Darmstadt/OU=Mathematik/OU=Didaktik/CN=wwwdid.mathematik.tu-darmstadt.de

SSL_SERVER_I_DN	/C=DE/ST=Hessen/L=Darmstadt/O=Technische Universitaet Darmstadt/CN=TUD CA G01/emailAddress=tud-ca@hrz.tu-darmstadt.de
SSL_SERVER_A_KEY	rsaEncryption
SSL_SERVER_A_SIG	sha1WithRSAEncryption
SSL_SESSION_ID	EDC1D473F1C6717331D6B13D35C8D1A7060DC897C5B8CDC25AFEB9E618CCFAA1
HTTP_HOST	wwwid.mathematik.tu-darmstadt.de
HTTP_CONNECTION	keep-alive
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_0) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/30.0.1599.101 Safari/537.36
HTTP_ACCEPT_ENCODING	gzip,deflate,sdch
HTTP_ACCEPT_LANGUAGE	de-DE,de;q=0.8,en-US;q=0.6,en;q=0.4
HTTP_COOKIE	mahara=11b41871b6ec94c01627c5aa6a3090f0; ctest=1
PATH	/usr/local/bin:/usr/bin:/bin
SERVER_SIGNATURE	<address>Apache/2.2.16 (Debian) Server at wwwdid.mathematik.tu-darmstadt.de Port 443</address>
SERVER_SOFTWARE	Apache/2.2.16 (Debian)
SERVER_NAME	wwwid.mathematik.tu-darmstadt.de
SERVER_ADDR	130.83.2.7
SERVER_PORT	443
REMOTE_ADDR	130.83.114.0
DOCUMENT_ROOT	/data/www/webpages
SERVER_ADMIN	www-did@wwwid.mathematik.tu-darmstadt.de
SCRIPT_FILENAME	/data/www/webpages/didtest/mahara-dev/mahara18/index.php
REMOTE_PORT	53773
REMOTE_USER	didtest
AUTH_TYPE	Basic
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/didtest/mahara-dev/mahara18/
SCRIPT_NAME	/didtest/mahara-dev/mahara18/index.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /didtest/mahara-dev/mahara18/ HTTP/1.1
Host	wwwid.mathematik.tu-darmstadt.de
Connection	keep-alive

Authorization	Basic ZGIkdGVzdDpiNjVLeEw3eg==
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
User-Agent	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_0) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/30.0.1599.101 Safari/537.36
Accept-Encoding	gzip,deflate,sdch
Accept-Language	de-DE,de;q=0.8,en-US;q=0.6,en;q=0.4
Cookie	mahara=11b41871b6ec94c01627c5aa6a3090f0; ctest=1
HTTP Response Headers	
X-Powered-By	PHP/5.3.3-7+squeeze17
Cache-Control	no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Expires	Thu, 19 Nov 1981 08:52:00 GMT
Pragma	no-cache
X-Frame-Options	SAMEORIGIN
DAV	1
MS-Author-Via	DAV
Allow	COPY, DELETE, GET, HEAD, MKCOL, MOVE, OPTIONS, PROPFIND, PROPPATCH, PUT
Vary	Accept-Encoding
Content-Encoding	gzip

[bcmath](#)

BCMath support	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

[bz2](#)

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

[calendar](#)

Calendar support	enabled
-------------------------	---------

Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	30719	22527
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/lib/php5/20090626	/usr/lib/php5/20090626
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700

highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	/data/www/webpages/didtest/mahara-dev/mahara18/lib/:/data/www/webpages/didtest/mahara-dev/mahara18/lib/pear/:./usr/share/php:/usr/share/pear	./usr/share/php:/usr/share/pear
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	On	On
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	256M	256M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	64M	64M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend_debug	On	On
request_order	GP	GP
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off

safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	64M	64M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	7.21.0
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes

SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	dict, file, ftp, ftps, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, scp, sftp, smtp, smtps, telnet, ftp
Host	x86_64-pc-linux-gnu
SSL Version	OpenSSL/0.9.8o
ZLib Version	1.2.3.4
libSSH Version	libssh2/1.2.6

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile qdbm

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.8
HTML Support	enabled

XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

[ereg](#)

Regex Library	Bundled library enabled
----------------------	-------------------------

[exif](#)

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c 293036 2010-01-03 09:23:27Z sebastian \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

[fileinfo](#)

fileinfo support	enabled
version	1.0.5-dev

[filter](#)

Input Validation and Filtering	enabled
Revision	\$Revision: 298196 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

[ftp](#)

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	2.0
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.4.2
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.44
WBMP Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
------------------------	---------

gmp

gmp support	enabled
GMP version	4.3.2

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc

iconv library version	2.11.3
------------------------------	--------

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imagick

imagick module	enabled
imagick module version	3.0.0RC1
imagick classes	Imagick, ImagickDraw, ImagickPixel, ImagickPixelIterator
ImageMagick version	ImageMagick 6.6.0-4 2012-05-02 Q16 http://www.imagemagick.org
ImageMagick copyright	Copyright (C) 1999-2010 ImageMagick Studio LLC
ImageMagick release date	2012-05-02
ImageMagick number of supported formats:	206
ImageMagick supported formats	3FR, A, AI, ART, ARW, AVI, AVS, B, BGR, BGRA, BMP, BMP2, BMP3, BRF, BRG, C, CAL, CALS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DJVU, DNG, DOT, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, EXR, FAX, FITS, FRACTAL, FTS, G, G3, GBR, GIF, GIF87, GRADIENT, GRAY, GRB, GROUP4, HALD, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, J2C, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RBG, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMF, WMV, WMZ, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
imagick.locale_fix	0	0
imagick.progress_monitor	0	0

intl

Internationalization support	enabled
-------------------------------------	---------

version	1.1.0
ICU version	4.4.1

Directive	Local Value	Master Value
intl.default_locale	<i>no value</i>	<i>no value</i>
intl.error_level	0	0

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c 299434 2010-05-17 20:09:42Z pajoye \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20423
SASL Support	Enabled

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.7.8
libXML Loaded Version	20708
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
-------------------------------------------	---------

Multibyte regex (oniguruma) version	5.9.1
--------------------------------------------	-------

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text application/xhtml+xml)	^(text application/xhtml+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.66
MYSQL_MODULE_TYPE	external

MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -mysqlclient_r

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.1.66
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	1
Client API header version	5.1.49
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 0.9.8o 01 Jun 2010
OpenSSL Header Version	OpenSSL 0.9.8o 01 Jun 2010

[pam_auth](#)

Pam Authentication Support	active
-----------------------------------	--------

Directive	Local Value	Master Value
pam_auth.servicename	php	php

[pcre](#)

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.02 2010-03-19

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

[PDO](#)

PDO support	enabled
PDO drivers	mysql, sqlite, sqlite2

[pdo_mysql](#)

PDO Driver for MySQL	enabled
Client API version	5.1.66

[pdo_sqlite](#)

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.3

[Phar](#)

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Revision: 298908 \$
Phar-based phar archives	enabled

Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
 Phar fully realized by Gregory Beaver and Marcus Boerger.
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

posix

Revision	\$Revision: 300764 \$
-----------------	-----------------------

ps

PS Support	enabled
PSlib Version	0.4.3
Revision	\$Revision: 1.37 \$
GD Support	enabled

recode

Recode Support	enabled
Revision	\$Revision: 293036 \$

Reflection

Reflection	enabled
Version	\$Revision: 300393 \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	On	Off
session.cookie_lifetime	0	0
session.cookie_path	/didtest/mahara-dev/mahara18/	/
session.cookie_secure	On	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	16	16
session.gc_divisor	1000	1000
session.gc_maxlifetime	86400	1440
session.gc_probability	0	0
session.hash_bits_per_character	4	5
session.hash_function	0	0
session.name	mahara	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	3;/data/www/data/didtest/mahara-dev-mahara18/sessions	/var/lib/php5
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 299424 \$
Schema support	enabled

soap

--	--

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c 298697 2010-04-28 12:10:10Z iliaa \$
SQLite Library	2.8.17
SQLite Encoding	UTF-8

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.7.3

Directive	Local Value	Master Value
sqlite3.extension_dir	no value	no value

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

suhosin

(<http://www.suhosin.org/>) This server is protected with the Suhosin Extension 0.9.32.1

수호신

Copyright (c) 2006-2007 [Hardened-PHP Project \(http://www.hardened-php.net/\)](http://www.hardened-php.net/)

Copyright (c) 2007-2010 [SektionEins GmbH \(http://www.sektioneins.de/\)](http://www.sektioneins.de/)

Directive	Local Value	Master Value
suhosin.apc_bug_workaround	Off	Off
suhosin.cookie.checkraddr	0	0
suhosin.cookie.cryptdocroot	On	On
suhosin.cookie.cryptkey	[protected]	[protected]
suhosin.cookie.cryptlist	no value	no value
suhosin.cookie.cryptraddr	0	0
suhosin.cookie.cryptua	On	On
suhosin.cookie.disallow_nul	1	1
suhosin.cookie.disallow_ws	1	1
suhosin.cookie.encrypt	Off	Off
suhosin.cookie.max_array_depth	50	50
suhosin.cookie.max_array_index_length	64	64

suhosin.cookie.max_name_length	64	64
suhosin.cookie.max_totalname_length	256	256
suhosin.cookie.max_value_length	10000	10000
suhosin.cookie.max_vars	100	100
suhosin.cookie.plainlist	<i>no value</i>	<i>no value</i>
suhosin.coredump	Off	Off
suhosin.disable.display_errors	Off	Off
suhosin.executor.allow_symlink	Off	Off
suhosin.executor.disable_emodifier	Off	Off
suhosin.executor.disable_eval	Off	Off
suhosin.executor.eval.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.eval.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.allow_writable_files	On	On
suhosin.executor.include.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.max_traversal	0	0
suhosin.executor.include.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.max_depth	0	0
suhosin.filter.action	<i>no value</i>	<i>no value</i>
suhosin.get.disallow_nul	1	1
suhosin.get.disallow_ws	0	0
suhosin.get.max_array_depth	50	50
suhosin.get.max_array_index_length	64	64
suhosin.get.max_name_length	64	64
suhosin.get.max_totalname_length	256	256
suhosin.get.max_value_length	512	512
suhosin.get.max_vars	100	100
suhosin.log.file	0	0
suhosin.log.file.name	<i>no value</i>	<i>no value</i>
suhosin.log.phpscript	0	0
suhosin.log.phpscript.is_safe	Off	Off
suhosin.log.phpscript.name	<i>no value</i>	<i>no value</i>
suhosin.log.sapi	0	0
suhosin.log.script	0	0
suhosin.log.script.name	<i>no value</i>	<i>no value</i>
suhosin.log.syslog	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.facility	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.priority	<i>no value</i>	<i>no value</i>

suhosin.log.use-x-forwarded-for	Off	Off
suhosin.mail.protect	0	0
suhosin.memory_limit	0	0
suhosin.mt_srand.ignore	On	On
suhosin.multiheader	Off	Off
suhosin.perdir	0	0
suhosin.post.disallow_nul	1	1
suhosin.post.disallow_ws	0	0
suhosin.post.max_array_depth	50	50
suhosin.post.max_array_index_length	64	64
suhosin.post.max_name_length	64	64
suhosin.post.max_totalname_length	256	256
suhosin.post.max_value_length	1000000	1000000
suhosin.post.max_vars	1000	1000
suhosin.protectkey	On	On
suhosin.request.disallow_nul	1	1
suhosin.request.disallow_ws	0	0
suhosin.request.max_array_depth	50	50
suhosin.request.max_array_index_length	64	64
suhosin.request.max_totalname_length	256	256
suhosin.request.max_value_length	1000000	1000000
suhosin.request.max_varname_length	64	64
suhosin.request.max_vars	1000	1000
suhosin.server.encode	On	On
suhosin.server.strip	On	On
suhosin.session.checkraddr	0	0
suhosin.session.cryptdocroot	On	On
suhosin.session.cryptkey	[protected]	[protected]
suhosin.session.cryptheadr	0	0
suhosin.session.cryptua	Off	Off
suhosin.session.encrypt	On	On
suhosin.session.max_id_length	128	128
suhosin.simulation	Off	Off
suhosin.sql.bailout_on_error	Off	Off
suhosin.sql.comment	0	0
suhosin.sql.multiselect	0	0
suhosin.sql.opencomment	0	0
suhosin.sql.union	0	0
suhosin.sql.user_postfix	<i>no value</i>	<i>no value</i>

suhosin.sql.user_prefix	<i>no value</i>	<i>no value</i>
suhosin.srand.ignore	On	On
suhosin.stealth	On	On
suhosin.upload.disallow_binary	0	0
suhosin.upload.disallow_elf	1	1
suhosin.upload.max_uploads	25	25
suhosin.upload.remove_binary	0	0
suhosin.upload.verification_script	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Revision: 293036 \$

tidy

Tidy support	enabled
libTidy Release	25 March 2009
Extension Version	2.0 (\$Id: tidy.c 296107 2010-03-12 10:28:59Z jani \$)

Directive	Local Value	Master Value
tidy.clean_output	<i>no value</i>	<i>no value</i>
tidy.default_config	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

XCache

XCache Support	enabled
Version	1.3.0
Modules Built	acher optimizer coverager assembler encoder decoder
Readonly Protection	N/A
Cache Init Time	2013-10-20 07:36:39
Cache Instance Id	2405

Opcode Cache	enabled, 16,777,216 bytes, 1 split(s), with 8192 slots each
Variable Cache	disabled
Shared Memory Schemes	mmap
Coverage Auto Dumper	disabled

Directive	Local Value	Master Value
xcache.admin.enable_auth	On	On
xcache.cacher	On	On
xcache.coredump_directory	<i>no value</i>	<i>no value</i>
xcache.count	1	1
xcache.coveragedump_directory	<i>no value</i>	<i>no value</i>
xcache.coverager	Off	Off
xcache.gc_interval	0	0
xcache.mmap_path	/dev/zero	/dev/zero
xcache.optimizer	Off	Off
xcache.readonly_protection	<i>no value</i>	<i>no value</i>
xcache.shm_scheme	mmap	mmap
xcache.size	16M	16M
xcache.slots	8K	8K
xcache.stat	On	On
xcache.test	<i>no value</i>	<i>no value</i>
xcache.ttl	0	0
xcache.var_count	1	1
xcache.var_gc_interval	300	300
xcache.var_maxttl	0	0
xcache.var_size	0M	0M
xcache.var_slots	8K	8K
xcache.var_ttl	0	0

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.8

xmlreader

XMLReader	enabled
------------------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
------------------	---------

xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.7.8
EXSLT	enabled
libexslt Version	1.1.26

zip

Zip	enabled
Extension Version	\$Id: php_zip.c 300470 2010-06-15 18:48:33Z pajoye \$
Zip version	1.9.1
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.1.1
Linked Version	1.2.3.4

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

sysvsem
sysvshm

Environment

Variable	Value
APACHE_PID_FILE	/var/run/apache2.pid
APACHE_RUN_USER	www-data
APACHE_LOG_DIR	/var/log/apache2
PATH	/usr/local/bin:/usr/bin:/bin
PWD	/
APACHE_RUN_GROUP	www-data
LANG	C
SHLVL	1
APACHE_LOCK_DIR	/var/lock/apache2
APACHE_RUN_DIR	/var/run/apache2
_	/usr/sbin/apache2

PHP Variables

Variable	Value
_COOKIE["mahara"]	11b41871b6ec94c01627c5aa6a3090f0
_COOKIE["ctest"]	1
_SERVER["UNIQUE_ID"]	UmoxRoJTAgcAAHoC87IAAAAB
_SERVER["HTTPS"]	on
_SERVER["SSL_TLS_SNI"]	wwwdid.mathematik.tu-darmstadt.de
_SERVER["SSL_SERVER_S_DN_C"]	DE
_SERVER["SSL_SERVER_S_DN_ST"]	Hessen
_SERVER["SSL_SERVER_S_DN_L"]	Darmstadt
_SERVER["SSL_SERVER_S_DN_O"]	Technische Universitaet Darmstadt
_SERVER["SSL_SERVER_S_DN_OU"]	Mathematik
_SERVER["SSL_SERVER_S_DN_OU_1"]	Didaktik
_SERVER["SSL_SERVER_S_DN_CN"]	wwwdid.mathematik.tu-darmstadt.de
_SERVER["SSL_SERVER_I_DN_C"]	DE
_SERVER["SSL_SERVER_I_DN_ST"]	Hessen
_SERVER["SSL_SERVER_I_DN_L"]	Darmstadt
_SERVER["SSL_SERVER_I_DN_O"]	Technische Universitaet Darmstadt
_SERVER["SSL_SERVER_I_DN_CN"]	TUD CA G01
_SERVER["SSL_SERVER_I_DN_Email"]	tud-ca@hrz.tu-darmstadt.de
_SERVER["SSL_VERSION_INTERFACE"]	mod_ssl/2.2.16

_SERVER["SSL_VERSION_LIBRARY"]	OpenSSL/0.9.8o
_SERVER["SSL_PROTOCOL"]	TLSv1
_SERVER["SSL_SECURE_RENEG"]	true
_SERVER["SSL_COMPRESS_METHOD"]	NULL
_SERVER["SSL_CIPHER"]	DHE-RSA-AES256-SHA
_SERVER["SSL_CIPHER_EXPORT"]	false
_SERVER["SSL_CIPHER_USEKEYSIZE"]	256
_SERVER["SSL_CIPHER_ALGKEYSIZE"]	256
_SERVER["SSL_CLIENT_VERIFY"]	NONE
_SERVER["SSL_SERVER_M_VERSION"]	3
_SERVER["SSL_SERVER_M_SERIAL"]	13F6AD8FAFFAA8
_SERVER["SSL_SERVER_V_START"]	Jun 12 12:03:11 2012 GMT
_SERVER["SSL_SERVER_V_END"]	Jun 11 12:03:11 2017 GMT
_SERVER["SSL_SERVER_S_DN"]	/C=DE/ST=Hessen/L=Darmstadt/O=Technische Universitaet Darmstadt/OU=Mathematik/OU=Didaktik/CN=wwwid.mathematik.tu-darmstadt.de
_SERVER["SSL_SERVER_I_DN"]	/C=DE/ST=Hessen/L=Darmstadt/O=Technische Universitaet Darmstadt/CN=TUD CA G01/emailAddress=tud-ca@hrz.tu-darmstadt.de
_SERVER["SSL_SERVER_A_KEY"]	rsaEncryption
_SERVER["SSL_SERVER_A_SIG"]	sha1WithRSAEncryption
_SERVER["SSL_SESSION_ID"]	EDC1D473F1C6717331D6B13D35C8D1A7060DC897C5B8CDC25AFEB9E618CCFAA1
_SERVER["HTTP_HOST"]	wwwid.mathematik.tu-darmstadt.de
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_0) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/30.0.1599.101 Safari/537.36
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate,sdch
_SERVER["HTTP_ACCEPT_LANGUAGE"]	de-DE,de;q=0.8,en-US;q=0.6,en;q=0.4
_SERVER["HTTP_COOKIE"]	mahara=11b41871b6ec94c01627c5aa6a3090f0; ctest=1
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.16 (Debian) Server at wwwdid.mathematik.tu-darmstadt.de Port 443</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.16 (Debian)
_SERVER["SERVER_NAME"]	wwwid.mathematik.tu-darmstadt.de
_SERVER["SERVER_ADDR"]	130.83.2.7
_SERVER["SERVER_PORT"]	443
_SERVER["REMOTE_ADDR"]	130.83.114.0
_SERVER["DOCUMENT_ROOT"]	/data/www/webpages
_SERVER["SERVER_ADMIN"]	www-did@wwwid.mathematik.tu-darmstadt.de
_SERVER["SCRIPT_FILENAME"]	/data/www/webpages/didtest/mahara-dev/mahara18/index.php
_SERVER["REMOTE_PORT"]	53773

_SERVER["REMOTE_USER"]	didtest
_SERVER["AUTH_TYPE"]	Basic
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/didtest/mahara-dev/mahara18/
_SERVER["SCRIPT_NAME"]	/didtest/mahara-dev/mahara18/index.php
_SERVER["PHP_SELF"]	/didtest/mahara-dev/mahara18/index.php
_SERVER["PHP_AUTH_USER"]	didtest
_SERVER["PHP_AUTH_PW"]	b65KxL7z
_SERVER["REQUEST_TIME"]	1382691142

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.



Welcome


[Name of your installation here] is a fully featured electronic portfolio system with social networking features to create online learning communities.


For more information you can read [About](#) [please ensure you also edit this page] or alternatively please feel free to [contact us](#).


You can edit this text via "Edit site pages" in "Configure site" in "Site administration"


Create and collect

Develop your portfolio


 Update your [profile](#)


 Upload your [files](#)



 Create your [resume](#)


 Publish a [journal](#)

Organise


Showcase your portfolio


Organise your portfolio into [pages](#). Create different pages for different audiences - you choose the elements to include.





Share and network

Find friends and join groups


 Find [friends](#)


 Join [groups](#)


 Control your [privacy](#)


 Discuss [topics](#)