










# Building a School Management Application

## Part II : Design Objects & Views

2.5 minutes !



# Add 3 objects

<p>1</p>		<p>We use the database designer to define new objects and fields</p>
<p>2</p>		<p>Let's create the first new object to manage classes : <b>x_training_class</b></p>
<p>3</p>		<p><b>x_training_class</b></p> <p><b>x_training_class</b></p> <p>Then click  to save the parent record then  to create the fields.</p>
<p>4</p>		<p><b>x_name</b></p> <p><b>Class Name</b></p> <p><input checked="" type="checkbox"/></p> <p><b>Always Searchable</b></p> <p><b>Char</b></p> <p><b>Save</b></p>

**5** **Fields Description**

Name: x\_capacity x\_capacity

Field Label: Maximum Capacity Maximum capacity

**Field Type** **Properties**

Field Type: integer Required:

Object Relation:  ReadOnly:

Relation Field:  Searchable: Not Searchable

Field Selection:  Translate:

Size: 64 On delete: Set NULL

Manually Created: Custom Field

Domain:

**Security on Groups**

<< First < Previous **[0 - 0 of 0]** Next > Last >>

**Group Name**

+

Save

**6** **Fields Description**

Name: x\_beamer x\_beamer

Field Label: Has a Beamer Has a beamer

**Field Type** **Properties**

Field Type: boolean Required:

Object Relation:  ReadOnly:

Relation Field:  Searchable: Not Searchable

Field Selection:  Translate:

Size: 64 On delete: Set NULL

Manually Created: Custom Field

Domain:

**Security on Groups**

<< First < Previous **[0 - 0 of 0]** Next > Last >>

**Group Name**

+

Save
+
Close

**7** **Model Description**

Search Form Calendar Gantt Graph Process

Save Save & Edit Cancel << First < Previous **[-/92]** Next > Last >>

Object Access Rights Notes

Object Name: x\_training\_class Object: x\_training\_class

**Fields**

**Fields Description**

<< First < Previous **[1 - 3 of 3]** Next > Last >>

Name	Field Label	Field Type	Required	ReadOnly	Searchable	Manually Created	
<u>x_name</u>	Class Name	char	Yes	No	Not Searchable	Custom Field	x
<u>x_capacity</u>	Maximum Capacity	integer	No	No	Not Searchable	Custom Field	x
<u>x_beamer</u>	Has a Beamer	boolean	No	No	Not Searchable	Custom Field	x

Import | Export << First < Previous **[1 - 3 of 3]** Next > Last >>

**Status**

Manually Created: Custom Object Create a Menu

+

Don't worry about searchable field !!

then click the create menu button to create the appropriate menu

7bis		<p>Classes</p> <p>Configuration then [TAB]</p> <p>or  to find and select the 'School Management /Configuration' line in the Search menu window</p> <p>Click the 'Create menu' button then </p>
8		<p>Let's create the second object (<b>x_training_course</b>) to manage courses</p>
9		<p>x_training_course</p> <p>x_training_course</p> <p>Then click  to save the parent record then  to create the fields.</p>
9		<p>x_name</p> <p>Course Title</p> <p>✓</p> <p>Always Searchable</p> <p>Char</p> <p>+ </p>

<p>11</p>	<p><b>Fields Description</b></p> <p>Name: <input type="text" value="x_teacher_id"/></p> <p>Field Label: <input type="text" value="Teacher"/></p> <table border="1"><thead><tr><th>Field Type</th><th>Properties</th></tr></thead><tbody><tr><td>Field Type: <input type="text" value="many2one"/></td><td>Required: <input checked="" type="checkbox"/></td></tr><tr><td>Object Relation: <input type="text" value="res.partner.contact"/></td><td>Readonly: <input type="checkbox"/></td></tr><tr><td>Relation Field: <input type="text"/></td><td>Searchable: <input type="text" value="Not Searchable"/></td></tr><tr><td>Field Selection: <input type="text" value="[]"/></td><td>Translate: <input type="checkbox"/></td></tr><tr><td>Size: <input type="text" value="64"/></td><td>? On delete: <input type="text" value="Set NULL"/></td></tr><tr><td>Manually Created: <input type="text" value="Custom Field"/></td><td></td></tr><tr><td>Domain: <input type="text" value="[]"/></td><td></td></tr></tbody></table> <p><b>Security on Groups</b></p> <p>&lt;&lt; First &lt; Previous [0 - 0 of 0] Next &gt; Last &gt;&gt;</p> <p><input type="checkbox"/> Group Name</p>	Field Type	Properties	Field Type: <input type="text" value="many2one"/>	Required: <input checked="" type="checkbox"/>	Object Relation: <input type="text" value="res.partner.contact"/>	Readonly: <input type="checkbox"/>	Relation Field: <input type="text"/>	Searchable: <input type="text" value="Not Searchable"/>	Field Selection: <input type="text" value="[]"/>	Translate: <input type="checkbox"/>	Size: <input type="text" value="64"/>	? On delete: <input type="text" value="Set NULL"/>	Manually Created: <input type="text" value="Custom Field"/>		Domain: <input type="text" value="[]"/>		<p><input type="text" value="x_teacher_id"/></p> <p><input type="text" value="Teacher"/></p> <p><input checked="" type="checkbox"/></p> <p><input type="text" value="Many2one"/></p> <p><input type="text" value="res.partner.contact"/></p> <p>+ <input type="button" value="Save"/></p>
Field Type	Properties																	
Field Type: <input type="text" value="many2one"/>	Required: <input checked="" type="checkbox"/>																	
Object Relation: <input type="text" value="res.partner.contact"/>	Readonly: <input type="checkbox"/>																	
Relation Field: <input type="text"/>	Searchable: <input type="text" value="Not Searchable"/>																	
Field Selection: <input type="text" value="[]"/>	Translate: <input type="checkbox"/>																	
Size: <input type="text" value="64"/>	? On delete: <input type="text" value="Set NULL"/>																	
Manually Created: <input type="text" value="Custom Field"/>																		
Domain: <input type="text" value="[]"/>																		
<p>12</p>	<p><b>Fields Description</b></p> <p>Name: <input type="text" value="x_note"/></p> <p>Field Label: <input type="text" value="Course Description"/></p> <table border="1"><thead><tr><th>Field Type</th><th>Properties</th></tr></thead><tbody><tr><td>Field Type: <input type="text" value="text"/></td><td>Required: <input type="checkbox"/></td></tr><tr><td>Object Relation: <input type="text"/></td><td>Readonly: <input type="checkbox"/></td></tr><tr><td>Relation Field: <input type="text"/></td><td>Searchable: <input type="text" value="Not Searchable"/></td></tr><tr><td>Field Selection: <input type="text" value="[]"/></td><td>Translate: <input type="checkbox"/></td></tr><tr><td>Size: <input type="text" value="64"/></td><td>? On delete: <input type="text" value="Set NULL"/></td></tr><tr><td>Manually Created: <input type="text" value="Custom Field"/></td><td></td></tr><tr><td>Domain: <input type="text" value="[]"/></td><td></td></tr></tbody></table> <p><b>Security on Groups</b></p> <p>&lt;&lt; First &lt; Previous [0 - 0 of 0] Next &gt; Last &gt;&gt;</p> <p><input type="checkbox"/> Group Name</p>	Field Type	Properties	Field Type: <input type="text" value="text"/>	Required: <input type="checkbox"/>	Object Relation: <input type="text"/>	Readonly: <input type="checkbox"/>	Relation Field: <input type="text"/>	Searchable: <input type="text" value="Not Searchable"/>	Field Selection: <input type="text" value="[]"/>	Translate: <input type="checkbox"/>	Size: <input type="text" value="64"/>	? On delete: <input type="text" value="Set NULL"/>	Manually Created: <input type="text" value="Custom Field"/>		Domain: <input type="text" value="[]"/>		<p><input type="text" value="x_note"/></p> <p><input type="text" value="Course Description"/></p> <p><input type="text" value="Text"/></p> <p>+ <input type="button" value="Save"/></p>
Field Type	Properties																	
Field Type: <input type="text" value="text"/>	Required: <input type="checkbox"/>																	
Object Relation: <input type="text"/>	Readonly: <input type="checkbox"/>																	
Relation Field: <input type="text"/>	Searchable: <input type="text" value="Not Searchable"/>																	
Field Selection: <input type="text" value="[]"/>	Translate: <input type="checkbox"/>																	
Size: <input type="text" value="64"/>	? On delete: <input type="text" value="Set NULL"/>																	
Manually Created: <input type="text" value="Custom Field"/>																		
Domain: <input type="text" value="[]"/>																		
<p>13</p>	<p><b>Fields Description</b></p> <p>Name: <input type="text" value="x_code"/></p> <p>Field Label: <input type="text" value="Code"/></p> <table border="1"><thead><tr><th>Field Type</th><th>Properties</th></tr></thead><tbody><tr><td>Field Type: <input type="text" value="char"/></td><td>Required: <input type="checkbox"/></td></tr><tr><td>Object Relation: <input type="text"/></td><td>Readonly: <input type="checkbox"/></td></tr><tr><td>Relation Field: <input type="text"/></td><td>Searchable: <input type="text" value="Not Searchable"/></td></tr><tr><td>Field Selection: <input type="text" value="[]"/></td><td>Translate: <input type="checkbox"/></td></tr><tr><td>Size: <input type="text" value="16"/></td><td>? On delete: <input type="text" value="Set NULL"/></td></tr><tr><td>Manually Created: <input type="text" value="Custom Field"/></td><td></td></tr><tr><td>Domain: <input type="text" value="[]"/></td><td></td></tr></tbody></table> <p><b>Security on Groups</b></p> <p>&lt;&lt; First &lt; Previous [0 - 0 of 0] Next &gt; Last &gt;&gt;</p> <p><input type="checkbox"/> Group Name</p>	Field Type	Properties	Field Type: <input type="text" value="char"/>	Required: <input type="checkbox"/>	Object Relation: <input type="text"/>	Readonly: <input type="checkbox"/>	Relation Field: <input type="text"/>	Searchable: <input type="text" value="Not Searchable"/>	Field Selection: <input type="text" value="[]"/>	Translate: <input type="checkbox"/>	Size: <input type="text" value="16"/>	? On delete: <input type="text" value="Set NULL"/>	Manually Created: <input type="text" value="Custom Field"/>		Domain: <input type="text" value="[]"/>		<p><input type="text" value="x_code"/></p> <p><input type="text" value="Code"/></p> <p><input type="text" value="Char"/></p> <p><input type="text" value="16"/></p> <p>+ <input type="button" value="Save"/> + <input type="button" value="Close"/></p>
Field Type	Properties																	
Field Type: <input type="text" value="char"/>	Required: <input type="checkbox"/>																	
Object Relation: <input type="text"/>	Readonly: <input type="checkbox"/>																	
Relation Field: <input type="text"/>	Searchable: <input type="text" value="Not Searchable"/>																	
Field Selection: <input type="text" value="[]"/>	Translate: <input type="checkbox"/>																	
Size: <input type="text" value="16"/>	? On delete: <input type="text" value="Set NULL"/>																	
Manually Created: <input type="text" value="Custom Field"/>																		
Domain: <input type="text" value="[]"/>																		

<p>14</p>		
<p>15</p>		<p><b>Configuration</b> +[TAB] to find and select the 'School Management/Configuration' parent menu</p> <p><b>Courses</b></p> <p>then click the create menu button</p>
<p>16</p>		
<p>17</p>		<p>Let's create the last new object to manage classes : <b>x_training_session</b></p>
<p>18</p>		<p><b>x_training_session</b></p> <p><b>x_training_session</b></p>

19	<p><b>Fields Description</b></p> <p>Name: <u>x_name</u> Field Label: <u>Session Name</u></p> <p><b>Field Type</b> Field Type: <u>char</u> Object Relation:  Relation Field:  Field Selection: <u>[]</u> Size: <u>64</u> Manually Created: <u>Custom Field</u> Domain: <u>[]</u></p> <p><b>Properties</b> Required: <input type="checkbox"/> ReadOnly: <input type="checkbox"/> Searchable: <u>Not Searchable</u> Translate: <input type="checkbox"/> ? On delete: <u>Set NULL</u></p>	<p><u>x_name</u></p> <p><u>Session Name</u></p> <p><u>Char</u></p> <p>+</p> <p><u>Save</u></p>
20	<p><b>Fields Description</b></p> <p>Name: <u>x_date_from</u> Field Label: <u>Date From</u></p> <p><b>Field Type</b> Field Type: <u>datetime</u> Object Relation:  Relation Field:  Field Selection: <u>[]</u> Size: <u>64</u> Manually Created: <u>Custom Field</u> Domain: <u>[]</u></p> <p><b>Properties</b> Required: <input checked="" type="checkbox"/> ReadOnly: <input type="checkbox"/> Searchable: <u>Always Searchable</u> Translate: <input type="checkbox"/> ? On delete: <u>Set NULL</u></p>	<p><u>x_date_from</u></p> <p><u>Date From</u></p> <p><input checked="" type="checkbox"/></p> <p><u>Always searchable</u></p> <p><u>datetime</u></p> <p>+</p> <p><u>Save</u></p>
21	<p><b>Fields Description</b></p> <p>Name: <u>x_date_to</u> Field Label: <u>Date to</u></p> <p><b>Field Type</b> Field Type: <u>datetime</u> Object Relation:  Relation Field:  Field Selection: <u>[]</u> Size: <u>64</u> Manually Created: <u>Custom Field</u> Domain: <u>[]</u></p> <p><b>Properties</b> Required: <input type="checkbox"/> ReadOnly: <input type="checkbox"/> Searchable: <u>Not Searchable</u> Translate: <input type="checkbox"/> ? On delete: <u>Set NULL</u></p>	<p><u>x_date_to</u></p> <p><u>Date To</u></p> <p><u>datetime</u></p> <p>+</p> <p><u>Save</u></p>
22	<p><b>Fields Description</b></p> <p>Name: <u>x_class_id</u> Field Label: <u>Class</u></p> <p><b>Field Type</b> Field Type: <u>many2one</u> Object Relation: <u>x_training_class</u> Relation Field:  Field Selection: <u>[]</u> Size: <u>64</u> Manually Created: <u>Custom Field</u> Domain: <u>[]</u></p> <p><b>Properties</b> Required: <input type="checkbox"/> ReadOnly: <input type="checkbox"/> Searchable: <u>Not Searchable</u> Translate: <input type="checkbox"/> ? On delete: <u>Set NULL</u></p>	<p><u>x_class_id</u></p> <p><u>Class</u></p> <p><u>many2one</u></p> <p><u>x_training_class</u></p> <p>+</p> <p><u>Save</u></p>

**23**

**Fields Description**

Name:

Field Label:

Field Type	Properties
Field Type: <input type="text" value="many2one"/>	Required: <input type="checkbox"/>
Object Relation: <input type="text" value="x_training_course"/>	Readonly: <input type="checkbox"/>
Relation Field: <input type="text"/>	Searchable: <input type="text" value="Not Searchable"/>
Field Selection: <input type="text" value="[]"/>	Translate: <input type="checkbox"/>
Size: <input type="text" value="64"/>	? On delete: <input type="text" value="Set NULL"/>
Manually Created: <input type="text" value="Custom Field"/>	
Domain: <input type="text" value="[]"/>	

+

**24**

**Fields Description**

Name:

Field Label:

Field Type	Properties
Field Type: <input type="text" value="many2many"/>	Required: <input type="checkbox"/>
Object Relation: <input type="text" value="res.partner.contact"/>	Readonly: <input type="checkbox"/>
Relation Field: <input type="text"/>	Searchable: <input type="text" value="Not Searchable"/>
Field Selection: <input type="text" value="[]"/>	Translate: <input type="checkbox"/>
Size: <input type="text" value="64"/>	? On delete: <input type="text" value="Set NULL"/>
Manually Created: <input type="text" value="Custom Field"/>	
Domain: <input type="text" value="[]"/>	

+

+unicode()  
argument 2 must be string,  
not None

**25**

**Model Description**

Object Name:  Object:

**Fields**

Name	Field Label	Field Type	Required	Readonly	Searchable	Manually Created
x_name	Session Name	char	No	No	Not Searchable	Custom Field
x_date_from	Date From	datetime	Yes	No	Not Searchable	Custom Field
x_date_to	Date To	datetime	No	No	Not Searchable	Custom Field
x_class_id	Class	many2one	No	No	Not Searchable	Custom Field
x_course_id	Course	many2one	No	No	Not Searchable	Custom Field

Manually Created:

+

then click the create menu button

**26**

Menu Name:  Parent Menu:

Object:

**Views**

Sequence View Type View

Views:







+[TAB] to

select the 'School Management' menu

then click the create menu button



## Manage courses, classes and sessions of courses

<p>27</p>		<p>Select Classes and add the first new class with the <b>New</b> button</p>
<p>28</p>		<p>Class 1 32 ✓ + <b>Save</b> + <b>New</b> to add the second class</p>
<p>29</p>		<p>Class 2 16 + <b>Save</b></p>
<p>30</p>		<p>Define courses Select Courses and then add the first new course with the <b>New</b> button</p>
<p>31</p>		<p>Open Object created a view by default</p>
<p>32</p>		<p>Click the <b>New</b> button then the <b>Save</b> button</p>

<p>33</p>		
<p>34</p>		<p>Click the last </p>
<p>35</p>		<p>Select the field x_code and click Update</p>
<p>36</p>		<p>Click Update</p> <p>Repeat step 34 to 36 for the field x_teacher_id.</p> <p>Click  to add a separator and a new line (select separator/new line in node type)</p> <p>Repeat step 34 to 36 for the field x_note</p> <p>Build the view as shown in point #37</p>
<p>37</p>		<p></p>
<p>38</p>		<p>Use the new view to add a new course</p> <p></p> <p></p>