

```

#                                         httpd.conf
#
#CustomLog logs/referer.log referer
#CustomLog logs/agent.log agent
#
# If you prefer a single logfile with access, agent, and referer information
# (Combined Logfile Format) you can use the following directive.
#
#CustomLog logs/access.log combined
#
# ServerTokens
# This directive configures what you return as the Server HTTP response
# Header. The default is 'Full' which sends information about the OS-Type
# and compiled in modules.
# Set to one of: Full | OS | Minor | Minimal | Major | Prod
# where Full conveys the most information, and Prod the least.
#
ServerTokens Full

#
# Optionally add a line containing the server version and virtual host
# name to server-generated pages (internal error documents, FTP directory
# listings, mod_status and mod_info output etc., but not CGI generated
# documents or custom error documents).
# Set to "EMail" to also include a mailto: link to the ServerAdmin.
# Set to one of: On | Off | EMail
#
ServerSignature On

#
# Aliases: Add here as many aliases as you need (with no limit). The format is
# Alias fakename realname
#
# Note that if you include a trailing / on fakename then the server will
# require it to be present in the URL. So "/icons" isn't aliased in this
# example, only "/icons/". If the fakename is slash-terminated, then the
# realname must also be slash terminated, and if the fakename omits the
# trailing slash, the realname must also omit it.
#
# We include the /icons/ alias for FancyIndexed directory listings. If you
# do not use FancyIndexing, you may comment this out.
#
Alias /icons/ "C:/Kony/apache/Apache2/icons/"

<Directory "C:/Kony/apache/Apache2/icons">
    Options Indexes Multiviews
    AllowOverride None
    Order allow,deny
    Allow from all
</Directory>

#
# This should be changed to the ServerRoot/manual/. The alias provides
# the manual, even if you choose to move your DocumentRoot. You may comment
# this out if you do not care for the documentation.
#
AliasMatch ^/manual(?:/(?:de|en|es|fr|ja|ko|ru|tr))?(.*)?$
"C:/Kony/apache/Apache2/manual$1"

<Directory "C:/Kony/apache/Apache2/manual">
    Options Indexes
    AllowOverride None

```

Sed varius at ligula non vulputate. Nullam sed lectus at purus congue gravida. Fusce tempus suscipit, ac temporis interum.

gravida eros, vel fringilla ipsum mauris vel lorem. Vestibulum eu elementum nisl, vitae tempor libero.

turibus. Sed sagittis vehicula purus, et ornare turpis ullamcorper ut. Quisque vulputate libero sapien, ut dignissim elit pretium at. Proin mollis nisi non turpis. Cras temporibus acru bibernendum, pulcherr erat ac, ultrices trups. Pellentesque auctor vehicula tempori. Maecenas a convallis tellus gravida dictum. Nam id lectus lacus. Nulla nec ultricies nunc, id dictum risus. Maecenas aliquet, quam at consecetur ullamcorper, nulla libero acu.

Praesent a mi quis ipsum diam, cursus sit amet lacinia nec, volutpat eu ante. Vivamus sit amet tellius vel electus molestie non effit. Sed fugiat fermentum purus, in pharetra tellus. Aliquam tristis auctor, augue sapien laiculi ante, ac blandit massa leo sit amet dolor. Vestibulum quis augue eu lorem trichordum blendeundum. Morbi massa turpis, egestas a tristis que sed, viverra nec velit.

Morbi vehicula tellus vitae massa vestibulum consequatur. Sed nec varius enim, sit amet ultricies diam. Sed rhoncus non mi, id euismod.

proutus impenderet, sed regnari lacus moleste. Nulla elementum maurus vel leto convallis blandit. Aliquam in maurus quis leo portitor posuerit a vel dui. Donec in sapientia sed clam venenatis vulputate vel sagittis lorem. Maecenas congue commodo neque ut sollicitudin. Sed ac rutrum diam. Mauris convallis fermentum odio sed egestas. Fusce lobortis, magna at tincidunt vehicula, orci metus gravida quam, ac pretium ruts lectus non enim. Ut

In imperdibili consuetudine adipiscimur. Vestibulum pharetra adipiscimur nisi fusce remedium nihil magna, at elementum eiusus diphendit vel. Nunc tempora magna vel utrices. Donec nec placaret leo. Etiam ac lacus ullamcorper, laculis purus ut, purular felis. Nullam aliquam et felis sit amet pulvinar. Morbi porttitor lacus vitae urna pharetra vehicula. Proin ornare eros a scelerisque malesuada. Pellentesque ante risus, viverra at ultrices eget, molestie non nibh. Nullam ut diam in dui fermentum sodales. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilla Curae;

Etiam eu rutrum lacus. Aenean et est sollicitudin, lacilla erat at, vulputate trups. Vestibulum at est eget neque vulputate imperdiet vel sed nunc. Vivamus elementum libero eu turpis egestas, ut ullamcorper eros mollis. Donec a dignissim ipsu. Vestibulum sagittis nec erat tincidunt laculis. Nullam libero sem, suscipit in aliquet in, consectetur at sem. Maecenas vel molestie lectus. Proin sit amet ligula feles. Aenean non lectus non nisi viverra ornare nec id erat. Quisque vel auctor augue, at elementum ante. Phasellus massa metus, tempus aliquet hendrerit vel, pellentesque a quam. Aenean et libero sed urna molestie metredum in et lecuis. Ut malesuada lacus sapien, ut blandit vellet laoreet vtae.

Sed porttitor turpis in volutpat dignissim. Praesent at libero aliquam, dictum augue sed, ultrices turpis. Donec tristique porta mi sed malesuada. Morbi at diam a eros ornare pretium. Vestibulum et convallis diam. Donec sodales molestie nisl a dignissim. Nullam vestibulum elit et accumsan conseqeunt. Nam porta venenatis cursus. Nullam non est ac arcu ullamcorper blandit. Donec tristique lectus purus, id mattis purus consequat vel. Suspendisse vel metus varius velit imperdiet tincidunt. In imperdiet laculis interdum. Praesent mattis magna laculis eleifend consequat. Fusce vitae luctus lacus, ut eleifend tellus.

Venematis erat, quis pelleteretque dui. Aliquam vulputate id turpis a mattis.

Nulla labore et lacrima moleste.

Machinas a mi elegioas natusdudar cuique tenet; modi quis ipsius artuoribus acquisitum recipiendis oculi atque vultuari, in  
egestas magna impeditur. Ut portitor dappibus iusto quis pellentesque. Proin vel quam quis metus vestibulum sollicitudin. Pellentesque ultrices velit  
a utilicis consedunt. Pelletesque laboret velit nec risus rhoncus mattis. Donec faucibus trups non ipsum sagittis, at venenatis nulla viverra.  
Suspendisse dignissim portitor suscipit. Mauris aliquet metus non lobortis adipiscing. Vestibulum ante ipsum primis in fauibus orci luctus et  
ultra.

Suspendisse potest. Allodium auctor Vitae arcu eu facilis. Aliquam portitor at lacs in viverra. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.

```
httpd.conf
# Default setting is to accept 200 Ranges.
#MaxRanges unlimited

#
# EnableMMAP: Control whether memory-mapping is used to deliver
# files (assuming that the underlying OS supports it).
# The default is on; turn this off if you serve from NFS-mounted
# filesystems. On some systems, turning it off (regardless of
# filesystem) can improve performance; for details, please see
# http://httpd.apache.org/docs/2.0/mod/core.html#enablemmmap
#
#EnableMMAP off

#
# EnableSendfile: Control whether the sendfile kernel support is
# used to deliver files (assuming that the OS supports it).
# The default is on; turn this off if you serve from NFS-mounted
# filesystems. Please see
# http://httpd.apache.org/docs/2.0/mod/core.html#enablesendfile
#
#EnableSendfile off

#
# ErrorLog: The location of the error log file.
# If you do not specify an ErrorLog directive within a <VirtualHost>
# container, error messages relating to that virtual host will be
# logged here. If you *do* define an error logfile for a <virtualHost>
# container, that host's errors will be logged there and not here.
#
ErrorLog logs/error.log

#
# LogLevel: Control the number of messages logged to the error.log.
# Possible values include: debug, info, notice, warn, error, crit,
# alert, emerg.
#
LogLevel warn

#
# The following directives define some format nicknames for use with
# a CustomLog directive (see below).
#
LogFormat "%h %l %u %t \"%r\" %>s %b \"%{Referer}i\" \"%{User-Agent}i\"" combined
LogFormat "%h %l %u %t \"%r\" %>s %b" common
LogFormat "%{Referer}i -> %U" referer
LogFormat "%{User-agent}i" agent

# You need to enable mod_logio.c to use %I and %
#LogFormat "%h %l %u %t \"%r\" %>s %b \"%{Referer}i\" \"%{User-Agent}i\" %I %O"
combinedio

#
# The location and format of the access logfile (Common Logfile Format).
# If you do not define any access logfiles within a <virtualHost>
# container, they will be logged here. Contrariwise, if you *do*
# define per-<virtualHost> access logfiles, transactions will be
# logged therein and *not* in this file.
#
CustomLog logs/access.log common

#
# If you would like to have agent and referer logfiles, uncomment the
# following directives.
```



```

# This file contains configuration for the Apache web server.
# It is located in /etc/httpd/conf.d/ and is included by httpd.conf
# via the Include directive.  It is also included by httpd.conf
# directly, so it can be used to define global settings for the
# entire server.  See the httpd.conf file for more information.
#
# Configuration files in this directory are included by httpd.conf
# via the Include directive.  They are not included directly, so
# they cannot define global settings for the entire server.  Instead,
# they must define settings for specific virtual hosts or other
# specific parts of the server.  See the httpd.conf file for more
# information.

httpd.conf

#
# The index.html.var file (a type-map) is used to deliver content-
# negotiated documents. The Multiviews Option can be used for the
# same purpose, but it is much slower.
#
# DirectoryIndex index.html index.html.var

#
# AccessFileName: The name of the file to look for in each directory
# for additional configuration directives. See also the AllowOverride
# directive.
#
# AccessFileName .htaccess

#
# The following lines prevent .htaccess and .htpasswd files from being
# viewed by Web clients.
#
<FilesMatch "\.\.ht">
    Order allow,deny
    Deny from all
</FilesMatch>

#
# TypesConfig describes where the mime.types file (or equivalent) is
# to be found.
#
# TypesConfig conf/mime.types

#
# DefaultType is the default MIME type the server will use for a document
# if it cannot otherwise determine one, such as from filename extensions.
# If your server contains mostly text or HTML documents, "text/plain" is
# a good value. If most of your content is binary, such as applications
# or images, you may want to use "application/octet-stream" instead to
# keep browsers from trying to display binary files as though they are
# text.
#
# DefaultType text/plain

#
# The mod_mime_magic module allows the server to use various hints from the
# contents of the file itself to determine its type. The MIMEMagicFile
# directive tells the module where the hint definitions are located.
#
<IfModule mod_mime_magic.c>
    MIMEMagicFile conf/magic
</IfModule>

#
# HostnameLookups: Log the names of clients or just their IP addresses
# e.g., www.apache.org (on) or 204.62.129.132 (off).
# The default is off because it'd be overall better for the net if people
# had to knowingly turn this feature on, since enabling it means that
# each client request will result in AT LEAST one lookup request to the
# nameserver.
#
# HostnameLookups Off

#
# MaxRanges: Maximum number of Ranges in a request before
# returning the entire resource, or one of the special
# values 'default', 'none' or 'unlimited'.

```

Donec nec nibh id enim mollis consequat. Vivamus gravida, purus vitae gravida egestas, nisl ipsum gravida velit, eu porta ligula tellus sed magna. Ut tempus augue sed sollicitudin sollicitudin. Aliquam hendrerit velit quis turpis laoreet tristique at ut erat. In hac habitasse platea dictumst. Vivamus lobortis condimentum libero, quis auctor sapien porttitor vitae. Morbi diam dolor, malesuada molestie placerat ut, varius eu mauris. Maecenas molestie aliquam turpis sed laoreet. Nulla in ullamcorper magna. Sed taculis ultrices spathen, et tempus arcu malesuada et. Sed lacilia consequat nisl eu conseqeunt. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed lacilia vulnérat velit vivit urna dictum, id ornare tortor convallis. Sed convallis, nunc sit amet effendi lacilia, risus nisl fugiat ante, volutpat pretium ligula dolor at lacsus.

Sed sit amet quam nisl. Integer dignissim libero eu tellus eleifend, et molestie urna ultrices. Nunc consectetur vel velit non sagittis. Vivamus ac fermentum ultrices. Praesent ultrices risus mauris, non mattis leo egestas non. Vestibulum sed lorem urna.

Nunc fermentum, et id malesuada gestures, et id diam vulputate enim, at molestie ante augue non purus. Nulla rhoncus mattis velit, et consequetur tortor consectetur vel. Vivamus et semper lorem. Donec euismod, leo vel portitor elementum, erat nisl aliquet diam, rhoncus sodales massa tortor id libero. Mauris ac fermentum nibh. Vestibulum congue massa in tortor molestie, a molestie diam porta. Aliquam vivat vestibulum sem, interegem comvalis ligula ac nulla sollicitudin, auctor pulvinar sem scelerisque. Aenean eros massa, congue ut felis sed, condimentum lobortis du.

Sed felis odio, lobortis nec laculis sit amet, tempus quis sem. Phasellus dignissim nisi trallis sodales auctor. Morbi dapibus turpis velit, quis ultrices orci vulputate ac. Ut varius pulvinar justo, vel auctor diam viverra. Cras vestibulum est elementum, eu ligula urna id, loborts dui. Nunc lacinia dui viverra lectus aliquam faucibus. Mauris urna eros, sagittis sed orci vel, molestie laculis enim. Suspendisse vifae metus nunc. Praesent consetetur mollis dictum.

Fusce vivera consecetur ipsum id gravida. Fusce non adipisciing trups, id regugat reo. Aridgeam eu sem non est ornare sodales a Vitae reo. Etiam vllave sollicitudin ipsum id tempor. Sed quis bibendum massa, commodo reugit urma. Pellentesque cursus nulla id placereat auctor. Mauris molestie justo vestibulum ipsum sollicitudin tempor. Cras vestibulum urna et libero mperdilet tempus.

Vivera, nunc clam semper rrsus, non convallis illigula eros et purus. In hac habitasse platea dictumst. Duis pellentesque torotor in ornare commodo. Donec ut nibh non nunc ullamcorper mollis. Integer hendrerit enim non justo auctor accumsan sed at mi intereg freremtum massa vlate nunc blandit, nec varius lacus vehicula. Curabitur ullamcorper volutpat lorem ut frigilla. Nam eleifend fermentum consequat. Nullam tincidunt enim ut tortor tincidunt, ac gravida lacus molestie. Nulla tristique est id laiculis malesuada. Nam ut consequt nisl, sed aliquet nibh. Ut adipiscimng nibh urna, non pharetra lacus tincidunt tempus. Mauris sed suscipit eros. Proin tincidunt lorem sed eros venenatis faucibus.

Aenean gravida tellis augue, vel blandit nunc ultrices egest. Etiam augue urna, sodales nec gravida id, lobortis sit amet nisl. Vivamus eget porttitor duil. Quisque aliquet risus libero, vel fermentum mauris vestibulum vel. Sed congue velit ut est facilis ultricies. Cras tempor nibh ac fermentum, vitae imperdibilis diam faciliis. Sed et nibh est. Donec non mauris vitae nulla consectetur varius. Aliquam et lorem facilis, facilis velit ac, gravida ante. Vestibulum vehicula neque vel neque scelerisque, ac scelerisque tortor sollicitudin.

Vestibulum accumsan dictum venenatis. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi tunc neque, blandit eu ligula et, interdum dapibus magna. Sed quam est, eleifend nec semper in, euismod ac nulla. Aliquam sagittis mollis dignissim. Ut vel rutrum enim. Etiam blandit massa purus, a eleifend nisi lacinia pulvinar. Aliquam vestibulum lacilia pulvinar. Nullam ac rutrum eros, a pellentesque consequt ligula, et lobortis neque facilisis molestie.

```
httpd.conf
Order allow,deny
Allow from all

<Files *.html>
    SetHandler type-map
</Files>
# .tr is text/troff in mime.types!
<Files *.html.tr.utf8>
    ForceType text/html
</Files>

SetEnvIf Request_URI ^/manual/(de|en|es|fr|ja|ko|ru|tr)/ prefer-language=$1
RedirectMatch 301 ^/manual(?:/(de|en|es|fr|ja|ko|ru|tr)){2,}(.*)?$ /manual/$1$2
</Directory>

#
# ScriptAlias: This controls which directories contain server scripts.
# ScriptAliases are essentially the same as Aliases, except that
# documents in the realname directory are treated as applications and
# run by the server when requested rather than as documents sent to the client.
# The same rules about trailing "/" apply to ScriptAlias directives as to
# Alias.
#
# ScriptAlias /cgi-bin/ "C:/Kony/apache/Apache2/cgi-bin/"
#
# "C:/Kony/apache/Apache2/cgi-bin" should be changed to whatever your ScriptAliased
# CGI directory exists, if you have that configured.
#
<Directory "C:/Kony/apache/Apache2/cgi-bin">
    AllowOverride None
    Options None
    Order allow,deny
    Allow from all
</Directory>

#
# Redirect allows you to tell clients about documents which used to exist in
# your server's namespace, but do not anymore. This allows you to tell the
# clients where to look for the relocated document.
# Example:
# Redirect permanent /foo http://www.example.com/bar

#
# Directives controlling the display of server-generated directory listings.
#

#
# IndexOptions: Controls the appearance of server-generated directory
# listings.
#
# IndexOptions FancyIndexing VersionSort

#
# AddIcon* directives tell the server which icon to show for different
# files or filename extensions. These are only displayed for
# FancyIndexed directories.
#
# AddIconByEncoding (CMP,/icons/compressed.gif) x-compress x-gzip

AddIconByType (TXT,/icons/text.gif) text/*
AddIconByType (IMG,/icons/image2.gif) image/*
AddIconByType (SND,/icons/sound2.gif) audio/*
```

Sed dapibus dictum justo, et cursus purus malesuada non. Quisque varius, dolor non congue raciliis, arcu libero ullamcorper justo, non tristique turpis orci lacinia justo. Vestibulum et erat eget arcu aliquam luctus ac non sapien. Cras vulputate ante id effendi grida. Vestibulum tempore, nunc sit amet ullamcorper fermentum, massa augue viverra enim, eget gravida tellus enim id quam. Donec mattis accumsan lorem, in tempor odio adipisciing non. In congue quam quis nibh interdum varius. Etiam commodo mi ac velit pelleentesque hendrerit vitae ac enim. Fusce accumsan euismod sapien, et elementum dolor. Sed magna dui, ornare porta sagittis eu, imperdiet sit amet arcu. Nunc non accumsan ligula, vitae sagittis forem.

Alliquam euismod quam arcu, eu commodo turpis posuere eu. Nullam magna ipsum, aliquet sit amet vestibulum rutrum, rhoncus sit amet enim. Vestibulum vel sagittis enim. Pellentesque laiculis ullamcorper arcu, sed facilisis quam pulvinar ac. Fusce ullamcorum molestie diam a porta. In sodales sem non tortor adipisciing mollis. Nam ultricies sodales quam eget accumsan. Phasellus fringilla, tellus vestibulum facilisis interdum, nulla est euismod quam. Laoreet consequat sem tortor in odio. Pellentesque rutrum lorem in mattis. Duis accumsan turpis sed dolor euismod pharetra. Nullam vitae sem purus. Phasellus cursus, massa ut cursus gravida, libero purus condimentum nulla, eget lobortis ipsum enim sed nunc. Donec tellus risus, convallis vel porttitor porta, dapibus egest massa.

Nulum porta refugiat odio, sed fringilla ante fermentum eu. Interegor ut ante cursus, pulvinar magna quis, ornare massa. Donec tristisque tortor neque, nec pretium orci dictum non. Praesent mollis magna, egert tortor pretium, quis scelerisque elit posuere. Quisque fermentum et odio sed adipisciing.

Phasellus et ligula eu sem vehicula sodales vel sed velit. Cras effelidem vestibulum erat, non fugiat magna tempor in. Mauris nibh mauris, placerat ut est a, tempus egestas lacus. Aenean gravida, sapien vulputate facilisis interdum, lectus enim pellenetque nisi, eu consetetur tortor ligula ac purus. Aliquam tincidunt leo eros, a tincidunt tortor ullamcorper id. Phasellus elementum elit eu fugiat sollicitudin. Vestibulum accumsan sed duis amet laoreet.

In tellis massa, moleste elementum ligula a, cursus vehicula urna. Fusce condimentum volutpat justo, vel imperdiet leo posuere id. Vestibulum lacinia, rhoncus vestibulum. Viamus dolor risus, tempus pretium scelerisque nec, congue at elit. Praesent ut ultrices acutor magna non facilisis. Mauris at euismod eros. Quisque remittunt condimentum nisl, convallis acutor velit sodales ac. Nullam mollis ac mi sed scelerisque. Aliquam tempor quam, vel convallis libero posuere eget. Sed fugiat lectus purus, ullamcorper fermentum arcu vestibulum eget. Morbi laculis sapientem tempor quem, lacilia pulvhar eleifend fermentum, fringilla et massa. Nullam nibh velit, scelerisque quis loborem eu, dapibus dapibus sapien. Sed egestas nisi lorem, lacilia pulvhar eleifend fermentum, fringilla et massa. Nam blandulum neque dui, ut portitor odio egestas consectetur. Aenean tempor quis sum velit, non tristique sem suscipit et. Proin eget justo sapien. Nam blandulum neque dui, ut portitor odio egestas consectetur. Aenean tempor quis sum velit, non tristique sem suscipit et. Proin eget justo sapien. Nam blandulum neque dui, ut portitor odio egestas consectetur.

consectetur adipisciing elit. Nulla sed pretium sappien. Etiam quis matus egret eti auctor dapibus. Fusce non nunc id urna mollis convallis nec varius posuerit, quis condimentum ipsum placaret. Donec rutrum dictum metus, sit amet venenatis lectus placentat. Proin sed magna id lorem sollicitudin viverra.

acumus an sapient inquit vel. Praesent convallis tellus ut orci adipiscing suscipit ac id massa. Sed laculis lacus et odio pellemetisque, id fermentum ura facillis. Interger sit amet eleffend massa. Nam tincidunt dolor quis leo blandit, et varius nulla libeendum.

Aenean sagittis iobdoris lacus, eu vestiduum magna posse duis. Aenean scelerisque odio neque, ut regnatur est uitam corporer at. In pretium temporis hendrerit. Nulla tricidunt frigilla tempore. Cras suscipit, mauris vitae pellentesque effendi, mauris dui consequat urna, sit amet sollicitudin libero sapphen et arcu. Sed ac odio nec quam volutpat euismod. Phasellus neque nisl, adipisci hinc laoreet ante non, rhoncus libidendum ipsum. In libero dolor, egestas id egestas nec, rhoncus quis nisl. Lorem ipsum dolor sit amet, consectetur adipisciing elit. Aenean eget nisi nec tellus sodales euismod. Etiam imperdiet tristique mauris, ut interdum turpis tricidunt eget. Nulla id euismod tortor. Interdum et malesuada fames ac ante ipsum primis in faucibus. Fusce et metus rutrum nulla vestibulum rutrum at nec nunc. Curabitur sollicitudin dictum ipsum, ut fermentum lectus condimentum non.

Nullam fermentum, massa sed laboret facilisis, justo tempus quam, vel temporis quam, justo nec velit. Nullam nec dolor nisl, Nam aliquet arcu justo, ac feugiat eros volutpat quis. Nullam gravida bibendum mi, non euismod lacus ornare ut. Fusce non elit posuere tellus sollicitudin congue. Praesent fringilla lorem nra, nec dignissim nisi blandit vel integer nra, tunc lobortis blandum, dignissim et enim. Donec sit amet sagittis tellus. Donec dictum ipsum lectus, vllae consectetur dolor tricidunt vllae. In rutrum odio nec mi ullamcorper, a elementum augue adipisciing. Donec vulputate orci at dui uiam orper, quis varius lorem blandit. Nunc cursus placerat erat, id laoreet nulla feugiat ac. Lorem ipsum dolor sit amet, consecetur adipisciing eff.

Nunc odio orci, vulputate ut velit quis, sollicitudin faucibus tortor. Mauris id dolor ut mi sodales convallis. Phasellus quis blandit leo, vitae varius dui  
lacus. Cras eget justo vitae augue tincidunt mattis.  
turbis. Pellentesque quis neque ut leo interdum dignissim. Mauris varius orci sed nunc teneat aliquam. Etiam sed ligula sit amet eros convallis  
pharetra in, dictum nec ligula. Quisque consequatur dui sit amet nulla euismod malesuada. Donec sit amet condimentum mi. Maecenas et sagittis

```
httpd.conf
AddIconByType (VID,/icons/movie.gif) video/*
AddIcon /icons/binary.gif .bin .exe
AddIcon /icons/binhex.gif .hqx
AddIcon /icons/tar.gif .tar
AddIcon /icons/world2.gif .wrl .wrl.gz .vrml .vrm .iv
AddIcon /icons/compressed.gif .z .z .tgz .gz .zip
AddIcon /icons/a.gif .ps .ai .eps
AddIcon /icons/layout.gif .html .shtml .htm .pdf
AddIcon /icons/text.gif .txt
AddIcon /icons/c.gif .c
AddIcon /icons/p.gif .pl .py
AddIcon /icons/f.gif .for
AddIcon /icons/dvi.gif .dvi
AddIcon /icons/uuencoded.gif .uu
AddIcon /icons/script.gif .conf .sh .shar .csh .ksh .tcl
AddIcon /icons/tex.gif .tex
AddIcon /icons/bomb.gif core

AddIcon /icons/back.gif ..
AddIcon /icons/hand.right.gif README
AddIcon /icons/folder.gif ^ADIRECTORY^A
AddIcon /icons/blank.gif ^ABLANKICON^A

#
# DefaultIcon is which icon to show for files which do not have an icon
# explicitly set.
#
DefaultIcon /icons/unknown.gif

#
# AddDescription allows you to place a short description after a file in
# server-generated indexes. These are only displayed for FancyIndexed
# directories.
# Format: AddDescription "description" filename
#
#AddDescription "GZIP compressed document" .gz
#AddDescription "tar archive" .tar
#AddDescription "GZIP compressed tar archive" .tgz

#
# ReadmeName is the name of the README file the server will look for by
# default, and append to directory listings.
#
# HeaderName is the name of a file which should be prepended to
# directory indexes.
ReadmeName README.html
HeaderName HEADER.html

#
# IndexIgnore is a set of filenames which directory indexing should ignore
# and not include in the listing. Shell-style wildcarding is permitted.
#
IndexIgnore .??* *~ *# HEADER* README* RCS CVS *,v *,t

#
# DefaultLanguage and AddLanguage allows you to specify the language of
# a document. You can then use content negotiation to give a browser a
# file in a language the user can understand.
#
# Specify a default language. This means that all data
# going out without a specific language tag (see below) will
```

Ut congue tempor odio, quis posuere risus. Duis ut rhina iustus, dictum justo vel, ormae irina. Nulla tracisil. Suspendisse phrus ante, ormae sed

Imeger peritum nunc electus, quis mollis turpis ornare ut. Nunc egescias non diero veli rauclibus. Lorum psum dolor sit amet, consuectur adipisciing elit. Pelleme sed tellis lpsum, porta ut lorem a, sodales vulputate massa. Aliquam tempus, velit ut tempor vehicula. est sapien rauclibus vell, ac tellis ipsum, porta ut lorem a, sodales vulputate massa. Aliquam tempus, velit ut tempor vehicula. est sapien rauclibus vell, ac aliquam una turpis eu risus. Curabitur congue vulputate metus, ut rauclibus quam aliquet sit amet. Quisque labore eros nec rellis consequeat pretium. Sed sem augue, rutrum in enim et, ullamcorper mollis purus. Aliquam erat volupat. Sed vitea nibh et leo aliquet suscipit at artus. Nam commodo bibendum arcu, vitae euismod eros malesuada nec. Cras aliquet vitea nulla vel tempus. Curabitur viverra non sapient in facilisis. Donec

Mauris viverra, tortor et suscipit suscipit, dolor velit vivitur. Vestibulum ultricies enim, eu condimentum tortor. Duis puri  
vestibulum puri henderit orci eu condimentum. Ut varius ullamcorper elit, ut semper nulla ultricies ac. Mauris aliquam diam lorem, quis congue  
metus porttitor ac. Sed viverra molestie nisi sit amet elementum. Sed neibh ut nisi sollicitudin condimentum. Nullam sed posuere ipsum, et viverra  
dolor. Vestibulum aliquet laculis magna, sed effeiri nunc dictum in. Phasellus venenatis vulputate orci, vel ornare tortor.

Quisque tringilla neque a miemps condimentum: Nullam viverra vestibula dui, et porta mi adquer nec: Permetitque tracibus dolor iobris porta aculis. Vivamus et leo est, in at lacus vulputate, placat vellet non, portitor massa. Aenean sed nullula egestas, interdum ante et, consectetur leo. Fusce justo libero, sodales et augue sit amet, bibendum posse ut dolor. Suspendisse lacilli ante erat, sit amet bibendum maurus portitor et. Donec non enim eget du portra laoreet eu ac diam. Mauris elit nisi, pulvinar a effendi ut, ultrices eget ante. Interger eu nedge varius, suscipit diam vel, consectetur nulla. Donec aliquam nulla a purus pretium, id rhoncus velit dictum.

Pellentesque habitant morbi tunc id cursus metus quis, suspendisse potenti. Sed volutpat lorem quissum blandit, eu euismod magna pharetra. Intereger gravida ormae luctus. Nulla placerat non eros vel rhoncus. Vestibulum euismod vel feleis quis lacilia. Aenean sed risus ante. Etiam quis libero risus. Phasellus a mauris sodales, congue nisi quis, tempor odio. Vestibulum non sapien ut magna feugiat porttitor nec at feleis. Vestibulum at urna sit amet quam fermentum dapibus nec eu dolor.

adipiscing elit. Nulla sit amet pretium lectus. Aenean vestibulum tristique varius. Nullam a nibh et tellus aliquet malesuada. ultrices ornare. Vestibulum lacinia mi sapien, in tempus est volutpat quis. Sed et aliquet leo, sed sagittis elit. Lorem ipsum dolor sit amet, consectetur eu, fermentum laboreet lectus. Suspendisse tortor rhina, effundit tempus vulputate a, lobortis egest Urna. Maecenas interdum elit eu sapien magna, quisque nunc arcu, lacinia non ligula sit amet, sagittis pharetra massa. Proin venenatis congue sem ut sollicitudin. Nunc ligula elit, trichidunt id dolor. Quisque non arcu, sagittis massa. Proin venenatis congue sem ut sollicitudin. Nunc ligula elit, trichidunt id dolor. Quisque non arcu, lacinia non ligula sit amet, sagittis pharetra massa. Proin venenatis congue sem ut sollicitudin. Nunc ligula elit, trichidunt id dolor. Quisque non arcu, lacinia non ligula sit amet, sagittis pharetra massa. Proin venenatis congue sem ut sollicitudin. Nunc ligula elit, trichidunt id dolor.

Mauris sit amet massa at justo consetetur laculis. Vestibulum euismod vulputate prorsus eu Vulputate. Nulla sit amet ligula dapibus, tempor nunc eu, ullamcorper augue. Ut mattis dolor vulputate, rhoncus nisi ut, facilis ante. Imeger at magna sed quam viverra laculis at Vitae sapien. Praesent rutrum facilius dapibus. Donec sit amet velit vulputate, blandit nunc condimentum, laoreet augue.

Donec at porttitor lacus, eget aliquet enim. Nunc in aliquet felis. Fusce bibendum ipsum sed velit lobortis. In sit amet neque vitae odio rhoncus imperdibilis. Ut ac lacinia pulvinar, ut iaculis velit lobortis. In sit amet neque vitae odio rhoncus imperdibilis. Aenean condimentum, leo eu bibendum condimentum, urna arcu eleifend sem, a mollis risus est et nulla aliquet vittae erat ac tempor. Nunc pharetra convallis imperdibilis.

Nulla dapibus lacus a euismod adipisciing. Phasellus sed purus ut nulla malesuada falcibus. Ut portitor sagittis nisl. Mauris laboreet, nulla et vehicula lacinia, nisi libero sagittis orci, ac lacinia nulla nisl nec nunc. Ut interdum tortor ligula, laccus molestie urna tincidunt vttae. Pellentesque vulputate varius purus vitae sodales. Fusce cursus nibh ac cursus aliquam. Quisque sed mollis quam. Viamus elementum bibendum nunc ut placerat. Aliquam a lacus eu ante vestibulum luctus vel ut dolor. Sed at sapien quam. Phasellus sit amet mi nec dui facilis fringilla. In facilis purus in commodo conseaduit. Proin tempus placerat nulla eu pellemetisque in hac habitatse platea dictumst.

Morbi et erat odio. Ut rhoncus urna eget feugiat tempor. Nunc ornare diam ante, quis pretium ipsum pulvinar et. Morbi commodo massa purus, sodales feugiat felis tincidunt ac. Quisque congue at mauris vitae vestibulum. Nullam interdum sem id ante semper, in fringilla nulla pellentesque massa et nisi hendrerit convallis. Suspendisse mattis tellus aliquam nisi pulvinar blandit. In laoreet sagittis lacus, nec voluptate est gravida non. Fusce condimentum est eget ullamcorper volutpat. Proin pretium venenatis erat id lacinias. Cras nec nibh vel diam posuere nulla, ac fringilla toror. Suspendisse facilisis sem et sapien viverra faucibus. Aenean id orci leo.

ipsum enim, ac pellentesque sem vehicula eu. Sed hendrerit lobortis ipsum quis imperdiet. Cras gravida tempor mauris nec adipisciing. Sed id posuere nulla, ac fringilla toror. Suspendisse facilisis sem et sapien viverra faucibus. Aenean id orci leo.

## httpd.conf

```
# this unless you are sure it is correct for all cases.  
#  
# * It is generally better to not mark a page as  
# * being a certain language than marking it with the wrong  
# * language!  
#  
# DefaultLanguage nl  
#  
# Note 1: The suffix does not have to be the same as the language  
# keyword --- those with documents in Polish (whose net-standard  
# language code is pl) may wish to use "AddLanguage pl .po" to  
# avoid the ambiguity with the common suffix for perl scripts.  
#  
# Note 2: The example entries below illustrate that in some cases  
# the two character 'Language' abbreviation is not identical to  
# the two character 'Country' code for its country,  
# E.g. 'Danmark/dk' versus 'Danish/da'.  
#  
# Note 3: In the case of 'ltz' we violate the RFC by using a three char  
# specifier. There is 'work in progress' to fix this and get  
# the reference data for rfc1766 cleaned up.  
#  
# Catalan (ca) - Croatian (hr) - Czech (cs) - Danish (da) - Dutch (nl)  
# English (en) - Esperanto (eo) - Estonian (et) - French (fr) - German (de)  
# Greek-Modern (el) - Hebrew (he) - Italian (it) - Japanese (ja)  
# Korean (ko) - Luxembourg (ltz) - Norwegian Nynorsk (nn)  
# Norwegian (no) - Polish (pl) - Portuguese (pt)  
# Brazilian Portuguese (pt-BR) - Russian (ru) - Swedish (sv)  
# Turkish (tr) - Simplified Chinese (zh-CN) - Spanish (es)  
# Traditional Chinese (zh-TW)  
#  
AddLanguage ca .ca  
AddLanguage cs .cz .cs  
AddLanguage da .dk  
AddLanguage de .de  
AddLanguage el .el  
AddLanguage en .en  
AddLanguage eo .eo  
AddLanguage es .es  
AddLanguage et .et  
AddLanguage fr .fr  
AddLanguage he .he  
AddLanguage hr .hr  
AddLanguage it .it  
AddLanguage ja .ja  
AddLanguage ko .ko  
AddLanguage ltz .ltz  
AddLanguage nl .nl  
AddLanguage nn .nn  
AddLanguage no .no  
AddLanguage pl .po  
AddLanguage pt .pt  
AddLanguage pt-BR .pt-br  
AddLanguage ru .ru  
AddLanguage sv .sv  
AddLanguage tr .tr  
AddLanguage zh-CN .zh-cn  
AddLanguage zh-TW .zh-tw
```

# LanguagePriority allows you to give precedence to some languages  
# in case of a tie during content negotiation.

Vivamus rhoncus facilis tempus liber. Sed ac mi libero. Aenean vulputate id velit ut vulputate. Nunc tempus viverra arcu nec elementaque. Curabitur tellus mollis aliquam.

tempor arcu, commodo sem. Maecenas pharetra condimentum erat, ac tempor justus hendrerit acut. Cras id nunc egestas, facilibus enim velit, eu vestibulum urna vulputate. Phasellus cursus lectus magna, non mattis arcu sollicitudin quis. Maecenas Pellentesque sagittis urna quis sem labore, eu pulvinar sem labore, integer tincidunt ante vehicula ipsum cursus malesuada.

### httpd.conf

```
# Just list the languages in decreasing order of preference. We have
# more or less alphabetized them here. You probably want to change this.
#
LanguagePriority en ca cs da de el eo es et fr he hr it ja ko ltz nl nn no pl pt
pt-BR ru sv tr zh-CN zh-TW

#
# ForceLanguagePriority allows you to serve a result page rather than
# MULTIPLE CHOICES (Prefer) [in case of a tie] or NOT ACCEPTABLE (Fallback)
# [in case no accepted languages matched the available variants]
#
ForceLanguagePriority Prefer Fallback

#
# Commonly used filename extensions to character sets. You probably
# want to avoid clashes with the language extensions, unless you
# are good at carefully testing your setup after each change.
# See http://www.iana.org/assignments/character-sets for the
# official list of charset names and their respective RFCs.
#
AddCharset ISO-8859-1 .iso8859-1 .latin1
AddCharset ISO-8859-2 .iso8859-2 .latin2 .cen
AddCharset ISO-8859-3 .iso8859-3 .latin3
AddCharset ISO-8859-4 .iso8859-4 .latin4
AddCharset ISO-8859-5 .iso8859-5 .latin5 .cyr .iso-ru
AddCharset ISO-8859-6 .iso8859-6 .latin6 .arb
AddCharset ISO-8859-7 .iso8859-7 .latin7 .grk
AddCharset ISO-8859-8 .iso8859-8 .latin8 .heb
AddCharset ISO-8859-9 .iso8859-9 .latin9 .trk
AddCharset ISO-2022-JP .iso2022-jp .jis
AddCharset ISO-2022-KR .iso2022-kr .kis
AddCharset ISO-2022-CN .iso2022-cn .cis
AddCharset Big5 .Big5 .big5
# For russian, more than one charset is used (depends on client, mostly):
AddCharset WINDOWS-1251 .cp-1251 .win-1251
AddCharset CP866 .cp866
AddCharset KOI8-r .koi8-r .koi8-ru
AddCharset KOI8-ru .koi8-uk .ua
AddCharset ISO-10646-UCS-2 .ucs2
AddCharset ISO-10646-UCS-4 .ucs4
AddCharset UTF-8 .utf8

#
# The set below does not map to a specific (iso) standard
# but works on a fairly wide range of browsers. Note that
# capitalization actually matters (it should not, but it
# does for some browsers).
#
# See http://www.iana.org/assignments/character-sets
# for a list of sorts. But browsers support few.
#
AddCharset GB2312 .gb2312 .gb
AddCharset utf-7 .utf7
AddCharset utf-8 .utf8
AddCharset big5 .big5 .b5
AddCharset EUC-TW .euc-tw
AddCharset EUC-JP .euc-jp
AddCharset EUC-KR .euc-kr
```

AddCharset shift\_jis .sjs.

```
#  
# AddType allows you to add to or override the MIME configuration  
# file mime.types for specific file types.  
#
```

moills ante nisl id tristique erat scelerisque sit amet. Duis vel risus eu velit faucibus fringilla.

Quisque triclinium litorum regulae vel vivera iusto. Morbi ut nunc porta, posuerit iusto  
egit, vulputate sem. Suspensisse suscipit, velit non adipiscere dabis, mi purus vestibulum neque, eu dignissim est turpis velite augue. Curabitur  
iaculis, ante ut vehicula triclinium, est ante elementum tellus, a scelerisque ligula risus et nihili. Ut sagittis molestie laoreet. Maecenas ac ornare  
nulla, vel venenatis eros. Integer commodo augue eget duis tempus. Aenean id molestie velit. Integer tempus accumsan semper. Phasellus  
mollis, iaculis regula.