## 1. Open iBus

		📟 🖂 TĻ 🗤) 4:36 PM 👤 way 🗘
0	© ibus	
	Applications	
	IBus Keyboard Input Methods	
<u>&gt;_</u>		

# 2. iBus Preference $\rightarrow$ Input Method ->Select Chinese $\rightarrow$ Chewing

Bus		📖 🖂 👣 🗤) 4:37 PM 👤 way 🔅
<b>W</b>	8  IBus Preferences	
	General Input Method Advanced	
	Select an input method Add Chinese Pinyin	
	Japanese y Bopomofo Korean Rewing	
	合本 合本 合本 合本 合本 合本 合本 合本 合本 合本	
	倉 cangjie-big 武 erbi	
	海 <sub>t</sub> wubi-haifeng86 五 wubi-jidian86	
	🚷 yong	
<u>i</u>	The default issue method is the top one in the list	
	You may use up/down buttons to change it.	
	Close	

# 3. Press "Add" to add Chewing

IBus			📟 🖾 📭 🜒) 4:37 PM 👤 way 🔱
	IBus Preferences General Input Method Advanced		
	🛗 Chewing	Add	
	Input Method	Remove	
	Chinese - Chewing	Up Down About	
· <mark>i</mark> ·	The default input method is the top one in the list. You may use up/down buttons to change it.		
		Close	

#### 4. Then, open LibreOffice Writer





## 5. Press CTRL + Space to make the $<math>\lceil etabel{etable}$ icon appear

6. Tyep "g3g3g3g3g3g3g3g3g3g3" or "Ji3g4j 1; wj32k794cl45k3<ji3qu/6t;6yjo4" (It's up to you, they all make the bug work.)

LibreOffice Writer		醋 🖂 🔃 🕪) 4:59 PM 👤 way 🔱
Ø		
	Se a Untitled 1 - LibreOffice Writer	
	<u>F</u> ile <u>E</u> dit <u>V</u> iew Insert F <u>o</u> rmat T <u>a</u> ble <u>T</u> ools <u>W</u> indow <u>H</u> elp	×
<u> </u>	- E - E - E - E - E - E - E - E - E - E	
•	E Default ▼ AR PL KaitiM GB ▼ 10.5 ▼ A A E E E E E I I I I E E E	« =
▶_	·	
	Pane 1 / 1 Default Chinese (simplified) INSRT STD 🗟	(2) (₹) (₹)

And then.....



There will be crash.

Finish.